

Health Protocol additional details on back



DATE

SERIAL #
of Vaccine

Projected Sale Date	Projected Sale Date		
Cattle Weaned (Minimum of 45 days for July/Sept sales)	Cattle Weaned (Minimum of 45 days for July/Sept sales)		
1st dose- Vista Once SQ Pre-Wean OR -VISTA 5 SQ	1st dose- Bovi-Shield Gold 5 OR Bovi Shield Gold One Shot		
1st dose- Vision 7 Somnus	1st dose- Ultrabac7/Somubac		
Parasite Control- Safe-Guard OR Panacur (Pre or Post Weaning)	Parasite Control- Dectomax OR Valbazen (Pre or Post Weaning)		
Booster- Vista Once SQ OR Vista 5	Booster- Bovi-Shield Gold 5 OR Bovi-Shield One Shot		
Booster- Vision 7	Booster- Ultrabac7		
Administer "Value- Added BQA Tags"	Administer "Value- Added BQA Tags"		
Heifers Guaranteed Open	Heifers Guaranteed Open		
Implant (Optional) Ralgro	Implant (Optional) Synovex		

Norwood Area Value Added BQA Sale

Record Keeping Form

This document meets animal health record keeping requirements for (BQA) Beef Quality Assurance standards

Producer Name _____

Farm/Operation Name _____

Street Address _____

City, State, Zip _____

Telephone # _____

Email Address _____

***1st dose calves at least 4 months of age**
*** Booster Vaccinations (2nd doses) must be administered within 4 months of the sale date. But also a minimum of 21 days before the sale date.**

Sale Date	June 8 th	July 20 th	September 7 th
Booster Dose	Feb 8 th - May 18 th	March 20 th - June 29	May 7 th - August 17 th

Subcutaneous (SC)


Intramuscular (IM)

Do Not Inject



**Approved Location for
Implant Administration**

If the middle of the ear has been damaged,
place implant on the top of the ear.



If the tip of the ear has been damaged,
place implant in the outer 1/2 of the remaining

Form must be returned to Stanly Co. Livestock Market Office before or on the day of the sale. Fax to 704.474.9047 or email bnharward@gmail.com



- * Need to alternate Vista 5 and Vista Once Respiratory Vaccinations
- * It is not recommended to give vaccines with pasturella and somnus at the same time.

Examples of vaccination schedules:

1st Dose: Vista Once **AND** Vision 7
2nd Dose: Vista 5 **AND** Vision 7 with Somnus

OR

1st Dose: Vista 5 **AND** Vision 7 with Somnus
2nd Dose: Vista Once **AND** Vision 7

MUST HAVE AT LEAST ONE DOSE OF BLACKLEG WITH
SOMNUS AND ONE DOSE OF RESPIRATORY WITH
PASTURELLA

- * Need to alternate Bovi-Shield Gold and Bovi-Shield Gold One Shot Respiratory Vaccinations
- * It is not recommended to give vaccines with pasturella and somnus at the same time.

Examples of vaccination schedules:

1st Dose: Bovi-Shield Gold 5 **AND** Ultrabac 7 with Somnus
2nd Dose: Bovi-Shield Gold One Shot **AND** Ultrabac 7

OR

1st Dose: Bovi-Shield Gold One Shot **AND** Ultrabac 7
2nd Dose: Bovi-Shield Gold 5 **AND** Ultrabac 7 Somnus

MUST HAVE AT LEAST ONE DOSE OF BLACKLEG WITH
SOMNUS AND ONE DOSE OF RESPIRATORY WITH
PASTURELLA

For more information on the vaccination protocols, feeder calf sales or consignments, please contact Marcus Harward 704.322.0840, Bruce Shankle 704.694.8686, Jessica Morgan at 724.984.5191, Brooke Harward at 704.322.9770

Tips for Vaccine Handling

- Vaccine should be transported in a sealed, refrigerated container that includes a cool pack
- Keep refrigerated and keep light out during storage. Do not freeze.
- Always keep vaccine refrigerated or cooled when handling cattle. Do not leave exposed to direct sunlight on top of working tables.
- All unused and unmixed product should remain refrigerated and only be mixed immediately prior to use.
- **Mix only enough vaccine to be used in a 30-minute period.**
- Syringes should never be cleaned with any disinfectant, only with water. Use syringes dedicated to vaccines only. Do not mix needles/syringes with antibiotics.